

## VITAL CARE RX

Tailored Therapy, Trusted Care

## Rheumatology IV Enrollment Form Phone: (877)229-1724 | Fax: (877)229-1725

PATIENT INFORMATION (Complete the following or send patient demographic sheet.)			PRESCRIBER INFORMATION			
Please fax copy of patient's insurance card including both sides						
Name:				NPI		
DOB:Gender: M / F Height:Wt:						
Address:						
City, State, Zip:				Fave		
Home Phone:				Fax:		
Alternate Phone: Email:				 Email:		
Last 4 digits SS						
CLINICAL INFORMATION – STATEMENT OF MEDICAL NECESSITY  714.0 Rheumatoid Arthritis						
☐ Methotr	ovato Duration:	Azathioprine Duration:		_		
Azulfidir	D. wation.		□ 5 – ASA	Duration:		
				Duration:		
	cations patient is currently takin It given or intended to be given b		□ No Allergies:			
Weight: Height BSA						
Expected date of first/next dose:			Date of last dose:			
PRESCRIPTION INFORMATION						
Medication <u>Directions</u>				<u>Quantity</u>	<u>Refills</u>	
Actemra®	□ 20 mg/ml vial	☐ Initial Dose: 4mg/kg every 4 weeks.  Max dose of 800mg/infusion  ☐ Maintenance Dose:mg/kg (mg) every 4 weeks.  Max dose of 800mg/infusion			4 week supply	
Orencia®	☐ 500 mg (less than 60 kg) ☐ 750 mg (60-100 kg) ☐ 1000 mg (over 100 kg) ☐ Juvenile arthritis 10 mg/kg if less than 75 kg	☐ Initial Dose: Infuse IV at weeks 0, 2, and 4 weeks. ☐ Maintenance Dose: Infuse IV every 4 weeks.			4 week supply	
Remicade®	☐ 100 mg vial	☐ Initial Dose: Infusemg/kg (mg) IV at weeks 0, 2, and 6 weeks. ☐ Maintenance Dose: Infusemg/kg (mg) IV every weeks.			QS	
Rituxan®	□ 10 mg/ml vial	☐ Infuse 1000mg IV on day 1 and day 15. ☐ Other:			2 week supply	
Simponi Aria®	☐ 50 mg/4 mL vial	☐ Initial Dose: Infuse 2mg/kg (mg) IV at weeks 0 and 4. ☐ Maintenance Dose: Infuse 2mg/kg (mg) IV every 8 weeks.			QS	
Other:						
Special Instructions:  Ship Medications To: Physician's Clinic Patient's Home Injection Training Needed: Yes No						
Prescriber Signature    Date						