

VITAL CARE RX GI Enrollment Form

Phone: (877)229-1724 | Fax: (877)229-1725

PATIENT INFORMATION (Complete the following or send patient demographic sheet.) Please fax copy of patient's insurance card including both sides			PRESCRIBER INFORMATION Prescriber Name:			
Name:			State Lic. #:			
DOB:Gender: M / F Height:Wt:			Facility Name:			
			Address:			
			City, State, Zip:			
Home Phone:			Phone:	Fax	:	
Alternate Phone:			Contact:			
Last 4 digits SS#: Email: Phone:Email					:	
CLINICAL INFORMATION – STATEMENT OF MEDICAL NECESSITY □ K50.90 Crohn's disease NOS □ K51.90 Ulcerative Colitis □ Other: Please indicate current or previous treatments and treatment duration below:						
NSAIDS Duration: Corticosteroids Duration:						
	rovato Duration:					
Methotrexate Duration:				Duration:		
Sulfasalazine Duration:				Duration:		
□ 6 – MP Duration: □ Other: Duration:						
Other medications patient is currently taking: TB/PPD Test given?						
BSA: Expected date of first/next dose: Date of last dose:						
PRESCRIPTION INFORMATION						
Medication	<u>Directions</u>				Quantity	<u>Refills</u>
	☐ Starter Kit ☐ Initial dose: Inject 400 mg SC at		ek 0 week 2 and week 4		1 starter kit	0
Cimzia®	☐ Prefilled Syringe☐ Lyophilized Powder	☐ Maintenance dose: Inject 400 mg SC every 4 weeks			28 day supply	
Entyvio®	☐ 300 mg vial	☐ Initial Dose: Infuse 300mg IV over 30 minutes at week 0, week 2 and week 6 ☐ Maintenance dose: Infuse 300mg IV over 30 minutes every 8 weeks			Initial dose QS	
Humira®	☐ Starter Kit ☐ 40 mg Pen ☐ 40 mg PFS ☐ Starter Kit CF	 ☐ Initial Dose: Inject 160 mg SC on day 1, 80 mg on day 15, then 40 mg thereafter beginning on day 29 ☐ Inject 40 mg SC every other week 		1 starter kit	0	
	☐ 40 mg CF Pen☐ 40 mg CF Prefilled Svringe	☐ Inject 40 mg SC once a week	Inject 40 mg SC once a week			1
Remicade®	☐ 100 mg vial	☐ Initial Dose: Infusemg/kg (mg) IV at weeks 0, 2, and 6 weeks. ☐ Maintenance Dose: Infusemg/kg (mg) IV everyweeks.			QS	
Rinvoq®	☐ Starter Kit: 45 mg	☐ Initial Dose: Take 45mg po once a d	-		28	1
	□ 15 mg □ 30 mg	☐ Maintenance Dose: Take 15mg po☐ Maintenance Dose: Take 30mg po	once a day.		30	ı
Simponi®	☐ 100 mg SmartJect ☐ 100 mg PFS	☐ Initial Dose: Inject 200mg SC at week 0, then 100mg at week 2, then maintenance dose ☐ Maintenance Dose: Inject 100mg SC once every 4 weeks			3 units 28 day supply	0
•	100 Hig PF3	Initial Dose: Infuse IV over at least 1 hour.			20 day suppry	
Stelara®	☐ 130 mg vial	$\square \le$ 121 lbs 260 mg (2 vials) \square > 187 lbs 520 mg (4 vials)	> 121 lbs to 187 lbs 390 mg (3 v	QS	0	
	90mg Prefilled Syringe 45mg Vial	☐ Maintenance Dose: Inject 90 mg SC 8 weeks after initial IV infusion, then every 8 weeks thereafter		QS		
Skyrizi®	☐ 600 mg vial	☐ Initial Dose: Infuse 600 mg IV over	0 mg IV over at least 1 hour on week 0, 4 and 8.		1	2
	☐ 360 mg PF on-body injector	☐ Maintenance Dose: Inject 360 mg SC at week 12, and every 8 weeks thereafter.			1	i
Valiana-®	☐ 5 mg tabs	☐ Initial Dose: Take 10 mg PO BID for	8 weeks			
Xeljanz [®]	☐ 10 mg tabs	☐ Maintenance Dose: Take 5 mg PO BID ☐ Maintenance Dose: Take 10 mg PO BID				i
Xifaxan®	□ 550mg Tablet	☐ Take 1 tablet by mouth 3 times a day			42	0
Zeposia®		☐ Initial Dose: Take as directed on titration pack. ☐ Maintenance Dose: Take 1 capsule by mouth once a day beginning day 8.			1 30	
Other:		and a composite of				
Ship Medications To: Physician's Clinic Patient's Home Injection Training Needed:					□ Yes □	No
Prescriber Signature Date Brand Name Required?						

patient's insurer's provider network.